

GETTING STARTED



ALL-IN-1™
PHONE MOUNT

LET'S DRIVE SAFELY, TOGETHER.



WINDSHIELD



VENT



DASHBOARD



ADHESIVE



CDSLOT

WHAT'S IN THE BOX?

Each part is labeled as listed below:

- A** Phone Holster / Cradle
- B** Adjustable Suction Arm Mount
- C** Suction Grip Pad (when an extra grip is needed)
- D** Vent Holder Clip-On Mount
- E** CD/DVD Car Slot Mount
- F** 3M Adhesive Stick-On Mount
- G** Replacement Padding for Holster Arms




WATCH A DEMO VIDEO


visit the link before getting started!

gripdemo.com


Suction Mount




Vent Clip Mount



CD/DVD Mount




Adhesive Stick On Mount



How to use the Grip All-in-1 Phone Mount?

STEP 1: Attach desired mounting adapter to phone holster and tighten the knob to fully secure.


insert ball of mount into hole on the back of the phone holster and tighten.



Adapters included: Suction Mount (B), Vent Mount (D), CD/DVD Mount (E) and an Adhesive Stick-On Mount (F).

STEP 2: Expand phone holster by pressing release button on back.

Release button expands arms




STEP 3: Press and hold release button to securely fit holster to your phone. Release the button to lock in the desired position.

NOTE: To remove your phone, press the release button on the upper back of the holder to open clamps.

Release button expands legs

Rotate from Verticle to Horizontal Viewing:




Suction Mount:

1) **LOCK:**

Slide the tab down to secure suction to surface.

2) **UNLOCK:** Slide the tab upwards to release suction.

remove clear film beneath suction before use.



Suction Grip surface pad





NOTE: Place grip pad under the suction for some surfaces.

Vent Clip Mount:

Pull clip spring back and slide hook into vent to secure position.

when holster and phone are attached, vent clip will sit secure during movement.

works with most car vents:




Please note: if vent clamp is upside down prior to use, please rotate vent clamp to the downward position with spring facing down. When pulling back the spring to clamp onto vent, the opening should be in the bottom so it can grab the vent blade.

NOTE: Does not work with some circular vents.

CD/DVD Slot Mount:

Insert mount into CD slot and tighten screw to lock into position.

NOTE: Does not work with some CD/DVD slots.



NOTE: Center tab will raise while tightening screw, **stop once secure.**


Adhesive Stick-On Mount:

1) Clean surface of where you want to mount before installing and wipe dry.

2) Place mounting bracket on flat surface and press down to secure.



***remove sticker film
beneath mount
before use.***



***Great for Cars, RVs,
Boats, Desktops and
many more surfaces.***



ALL-IN-1™
PHONE MOUNT



for more help and info please visit:

watchme**grip**.com

1 YEAR LIMITED WARRANTY

WARNING: Please check your state laws for mounting on the windshiled and using a mobile phone while operating your vehicle.

© Copyright 2018 All rights reserved. All trademarks ™ and registered trademarks ® are property of their respected owners. GRIP All-in-1 is a registered trademark of NDW, inc.